Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES—UNTABULATED.

CALIFORNIA—*Sacramento.*—Month of October, 1907. Estimated population, 40,000. Total number of deaths, 45, including diphtheria 3, and 5 from tuberculosis. Cases: Diphtheria 7, enteric fever 1, smallpox 1, and scarlet fever 4.

CONNECTICUT—*New London.*—Month of November, 1907. Estimated population, 20,200. Total number of deaths 23, including 4 from tuberculosis. Cases: Diphtheria 1, enteric fever 1, and scarlet fever 5 .

Stamford.—Month of November, 1907. Estimated population, 20,000. Number of deaths not reported. Cases: Diphtheria 3, whooping cough 1, and tuberculosis 2 .

INDIANA—*Marion.*—Month of November, 1907. Estimated population, 27,000. Total number of deaths, 17, including 1 from tuberculosis. Cases: Enteric fever 3, measles 1, whooping cough 1, and tuberculosis 1.

Muncie.—Month ended December 2, 1907. Estimated population, 34,036. Total number of deaths, 23, including 2 from tuberculosis. Cases: Diphtheria 7, enteric fever 2, scarlet fever 7, and whooping cough 1.

IOWA—*Cedar Rapids.*—Month of November, 1907. Estimated population, 30,000. Total number of deaths, 25. Cases: Scarlet fever 21.

Davenport.—Month of November, 1907. Estimated population, 45,000. Total number of deaths not reported. One death from enteric fever and 1 from scarlet fever. Cases: Diphtheria 39, enteric fever 18, measles 1, scarlet fever 1, and whooping cough 3.

KENTUCKY—*Henderson.*—Month of November, 1907. Estimated population, 17,500. Total number of deaths, 25, including enteric fever 1, measles 1, and 2 from tuberculosis. Cases: Enteric fever 8, measles 141, and tuberculosis 1.

NEW JERSEY.—Reports to the State board of health for the month ended November 15, 1907, show a total of 2,902 deaths, including diphtheria 49, enteric fever 46, scarlet fever 12, whooping cough 19, and 344 from tuberculosis.

Morristown.—Month of November, 1907. Estimated population, 12,500. Total number of deaths, 26, including 1 from diphtheria. Cases: Diphtheria 1 and scarlet fever 4.

NEW HAMPSHIRE—*Concord.*—Month of November, 1907. Estimated population, 20,000. Total number of deaths, 41, including 3 from tuberculosis. Cases: Diphtheria 4, enteric fever 3, and tuberculosis 3.

NEW YORK—*Saratoga Springs.*—Month of November, 1907. Estimated population, 11,122. Total number of deaths, 25, including enteric fever 1 and 1 from tuberculosis. Cases: Diphtheria 5, measles 1, and tuberculosis 1.

Schenectady.—Month of November, 1907. Estimated population, 77,666. Total number of deaths, 57, including scarlet fever 1 and 9 from tuberculosis. Cases: Diphtheria 21, enteric fever 10, measles 1, scarlet fever 6, and tuberculosis 2.

OHIO—*Zanesville.*—Month of November, 1907. Estimated population, 26,000. Total number of deaths, 25, including enteric fever 2, scarlet fever 2, and 3 from tuberculosis. Cases: Diphtheria 6 and scarlet fever 2.

OREGON—*Portland.*—Month of October, 1907. Estimated population, 175,000. Total number of deaths, 167, including enteric fever 5 and 15 from tuberculosis. Cases: Diphtheria 64, enteric fever 39 (11 brought to city for treatment), measles 10, smallpox 6, and scarlet fever 11.

PENNSYLVANIA—*Beaver Falls.*—Month of November, 1907. Estimated population, 12,000. No deaths reported. Cases: Diphtheria 2, enteric fever 1, and scarlet fever 1.

New Castle.—Month of November, 1907. Estimated population, 38,000. Total number of deaths, 46, including enteric fever 2 and 3 from tuberculosis. Cases: Diphtheria 7, enteric fever 9, measles 3, and tuberculosis 2.

South Bethlehem.—Month of November, 1907. Estimated population, 18,000. Total number of deaths, 21, including diphtheria 1 and 2 from tuberculosis. Cases: Diphtheria 7, enteric fever 1, and scarlet fever 8.

UTAH—*Ogden.*—Month of October, 1907. Estimated population, 25,000. Total number of deaths, 24, including 1 from enteric fever. Cases: Diphtheria 5, enteric fever 2, scarlet fever 4, and smallpox 2.

Month of November, 1907. Total number of deaths, 34, including 1 from enteric fever. Cases: Diphtheria 8, enteric fever 4, measles 2, scarlet fever 19, and smallpox 1.

VIRGINIA.—Reports to the State board of health for the month of October, 1907, show as follows:

Diphtheria present in 33 counties; enteric fever in 71 counties; measles in 8 counties; scarlet fever in 16 counties; whooping cough in 31 counties; smallpox in 3 counties; and tuberculosis in 70 counties.